





4 YEAR

Conditions Apply.

WARRANTY

Morrison products carry a 4 year consumer warranty. With a wide product range that is durable, hardworking and well-designed, you can trust Morrison. A range of quality spares and accessories are available. Morrison recommends you use Masport/Morrison Oil and accessories - available from your local Morrison agent.

MCS38 PETROL CHAINSAW

DISPLACEMENT 37.2cc CHAIN BAR SIZE 16" (40cm) CHAIN Oregon chain **CARBURRETOR** Walbro carburettor

FEATURES

- Clean air intake system Anti-vibration system
- · Chrome lined cylinder
- Electronic ignition
- · Inertia activated chain brake



MCS45E PETROL CHAINSAW

553056

DISPLACEMENT 45cc

CHAIN BAR SIZE 18" (45cm)

CHAIN

Oregon chain

CARBURRETOR Walbro carburettor

FEATURES

- Clean air intake system
- · Anti-vibration system
- · Chrome lined cylinder
- Twin ring piston
- Easy start system
- Safety chain brake



CLASSIC 420

ENGINE Powered by Briggs & Stratton 125cc OHV Series 300 Primer 4 stroke engine

CHASSIS 420mm (16.5") steel chassis

BLADE **SYSTEM**

Bar Blade System

HANDLE • Comfortable upturned upper handle **SYSTEM**

• Two piece lower handle for easy catcher access WHEELS Front 150mm (6") and Rear 200mm (8") wheels

CATCHER

Fabric Catcher



SURECUT

ENGINE Powered by AL-KO 139cc OHV Auto Choke 4 stroke engine*

CHASSIS

460mm (18") steel chassis

BLADE **SYSTEM** Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object

HANDLE SYSTEM WHEELS · Comfortable upturned upper handle

· Reinforced lower handle for added strength Front 200mm (8") and Rear 200mm (8")

adjustable dual bearing wheels

CATCHER **HDPE Plastic Catcher**

*AL-KO specified engine as used on AL-KO mowers in Europe



BOXER 2'N1

578752

CATCHER

ENGINE Powered by AL-KO 159cc OHV IC Auto Choke 4 stroke engine

CHASSIS 460mm (18") steel chassis

BLADE Unique twin blade system with a swingback **SYSTEM** feature to protect the crankshaft from damage if

the mower should strike a solid object **HANDLE** · Comfortable upturned upper handle

SYSTEM · Reinforced lower handle for added strength **WHEELS** Front 200mm (8") and Rear 200mm (8")

adjustable dual bearing wheels

*AL-KO specified engine as used on AL-KO mowers in Europe

HDPE Plastic Catcher

578754

ENGINE

BLADE

SYSTEM

Powered by Briggs & Stratton 140cc OHV Series 500E RapidStart™ 4 stroke engine

CHASSIS 460mm (18") steel chassis

ROCKET

Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object

HANDLE SYSTEM

WHEELS

· Comfortable upturned upper handle

· Reinforced lower handle for added strength

Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels

HDPE Plastic Catcher **CATCHER**



TITAN 2'N1

ENGINE 625EXi ReadyStart™ 4 stroke engine

CHASSIS

BLADE SYSTEM Unique twin blade system with a swingback the mower should strike a solid object

HANDLE SYSTEM · Comfortable upturned upper handle

WHEELS

CATCHER

Front 200mm (8") and Rear 200mm (8")



578759

Powered by Briggs & Stratton 150cc OHV Series

460mm (18") steel chassis

feature to protect the crankshaft from damage if

· Reinforced lower handle for added strength

adjustable dual bearing wheels

HDPE Plastic Catcher



BOXER 2'N1 Self Propelled

SYSTEM

ENGINE Powered by AL-KO 159cc OHV IC Auto Choke 4

stroke engine*

CHASSIS 460mm (18") steel chassis

BLADE Unique twin blade system with a swingback feature to protect the crankshaft from damage if **SYSTEM**

the mower should strike a solid object

HANDLE · Comfortable upturned upper handle

SYSTEM · Reinforced lower handle for added strength

DRIVE Single Speed Self Propelled, Ground speed

4.51km/h

WHEELS Front 175mm (7") and Rear 200mm (8")

adjustable dual bearing wheels

CATCHER HDPE Plastic Catcher

*AL-KO specified engine as used on AL-KO mowers in Europe



TYPHOON UTILITY 460

572821

ENGINE Powered by Briggs & Stratton 125cc OHV Series 450E Primer 4 stroke engine

CHASSIS

460mm (18") heavy duty steel chassis

BLADE **SYSTEM** Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object

HANDLE SYSTEM WHEELS Flat handle

· Reinforced lower handle for added strength

Front 175mm (7") and Rear 175mm (7") adjustable dual bearing wheels

4 YEAR **WARRANTY ON ALL MORRISON PRODUCTS** Conditions apply



MAXIMUS

578743

ENGINE Powered by AL-KO 159cc OHV IC Auto Choke 4

stroke engin

CHASSIS 460mm (18") heavy duty aluminium non rust

BLADE Unique twin blade system with a swingback
SYSTEM feature to protect the crankshaft from damage if
the mower should strike a solid object

• Comfortable upturned upper handle
• Reinforced lower handle for added strength

WHEELS Front 200mm (8") and Rear 200mm (8")

adjustable dual bearing wheels

CATCHER HDPE Plastic Catcher

*AL-KO specified engine as used on AL-KO mowers in Europe



MAGNUM

565918

ENGINE Powered by Briggs & Stratton 161cc DOV Series 700 ReadyStart™ 4 Stroke engine

CHASSIS 460mm (18") heavy duty aluminium non rust

BLADE Unique twin blade system with a swingback
SYSTEM feature to protect the crankshaft from damage if

the mower should strike a solid object

HANDLE• Comfortable upturned upper handle
• Reinforced lower handle for added strength

WHEELS Front 200mm (8") and Rear 200mm (8")

adjustable dual bearing wheels

CATCHER HDPE Plastic Catcher



ELITE

578765

6

ENGINE Powered by Briggs & Stratton 140cc OHV Series 500E RapidStart™ 4 stroke engine

CHASSIS 460mm (18") heavy duty aluminium non rust

BLADE Unique twin blade system with a swingback

SYSTEM feature to protect the crankshaft from damage if
the mower should strike a solid object

• Comfortable upturned upper handle

SYSTEM
• Reinforced lower handle for added s

• Reinforced lower handle for added strength

WHEELS Front 200mm (8") and Rear 200mm (8")

adjustable dual bearing wheels

CATCHER HDPE Plastic Catcher



ELECTRIC BLOWER VAC

553163

ENGINE Powerful 2400 watt motor that delivers 234 km/h of blowing power

BAG FEATURES Large capacity 35 litre bag

Easy action lever to switch from blower to vac
Collected material is automatically shredded reducing waste volumes by up to 90%

Carry strap is included for easy manoeuvring



PETROL BLOWER BL260E S2

53060

ENGINE FEATURES

25.4cc engine delivers ample power

• High tolerance engine crafted with precision engine bearings

· High capacity blowing power

 Two interchangeable blower tubes supplied allow you to clear a focused or wide area easily and efficiently.



PETROL BLOWER VAC - EZI SWITCH

552943

ENGINE A robust 30cc two stroke engine

BAG

FEATURES

Large capacity 40 litre bag

Portability - freedom from power cords
 Blow material away or vacuum it up - with EZI Switch it just takes a few seconds to switch between blower or vacuum

• A clip and zip design is provided for removing and emptying the bag

 Collected material is automatically shredded reducing waste volumes by up to 90%

· Carry strap is included for easy manoeuvring



Conditions apply

7



BC230E/B CURVED SHAFT LINE TRIMMER

553153

ENGINE Full crankshaft 22.5cc engine

CUT WIDTH 410mm (16") cutting width

HANDLE Loop handle for easy manoeuvrability

SHAFT Curved alloy split shaft for easy storage

FEATURES • Anti-vibration system

- · Centrifugal clutch included for operator safety
- Flexi steel drive shaft
- · Bump feed line trimmer head
- Soft start system
- Fuel container included



BC430E S2 STRAIGHT SHAFT BRUSHCUTTER

553080

ENGINE Semi-pro full crankshaft 42.7cc engine

CUT WIDTH 440mm (17") cutting width

HANDLE Bullbar handle with integrated controls

SHAFT Straight long reach alloy shaft

FEATURES • Anti-vibration system

- Bump feed line trimmer head and 3 tooth grass blade included
- Centrifugal clutch included for operator safety.

8

- Solid steel drive shaft
- Dual ring piston
- Full harness and fuel container included



BC260E SST SPLIT SHAFT LINE TRIMMER

553075

ENGINE Semi-pro full crankshaft 25.4cc engine

CUT WIDTH 415mm (16") cutting width

HANDLE Loop handle with safety bar

SHAFT Alloy 2 piece split shaft

FEATURES • Anti-vibration system

- Bump feed line trimmer head and 3 tooth grass blade included
- Centrifugal clutch included for operator safety.
- · Solid steel 2 piece drive shaft
- Bump feed line trimmer head
- Easy start system
- Single point harness and fuel container included
- *SST Split Shaft Technology allows you to convert this single line trimmer into a versatile pole pruner, hedge trimmer, edger or even a garden cultivator. Attachments sold separately.



BC - EDGER ATTACHMENT

552793

Used with BC260 SST as an Edger

65mm cutting depth



BC - GARDEN CULTIVATOR ATTACHMENT

552790

Used with BC260 SST as a Garden Cultivator

- 300mm (12") tilling width
- 80mm (3") tilling depth



BC - POLE PRUNING ATTACHMENT

55279

Used with BC260 SST as a Pole Pruner

• 250mm (10") bar size



BC - HEDGE TRIMMER ATTACHMENT

55292

Used with BC260 SST as a Hedge Trimmer

- 500mm (20") blade length
- · Double reciprocating blades
- 720mm shaft length



BC - 1M POLE EXTENSION

552796

Used to extend the reach of BC260 SST

- Straight alloy shaft and solid spline steel drive shaft
- 1 metre extension pole

4 YEAR
WARRANTY ON
ALL MORRISON
PRODUCTS

Conditions apply

9





HEDGE TRIMMER

ENGINE Semi-pro 25.4cc, lightweight, high

performance engine

CUT BAR 600mm (24") cutter bar

CUT DIAMETER 28mm cutting diameter means you can get

the job done quickly

FEATURES • Precision engine bearings

• Full crank shaft, 180 degree rotating handle for easy manoeuvring into difficult

• Includes clutch, safety switch, throttle lock out system

TILLER

ENGINE

Powered by Briggs & Stratton 127cc OHV Series 550 IC horizontal shaft engine

TILLING WIDTH • 280mm (11") tilling width (outside tines

removed)

• 430mm (17") tilling width (standard)

FEATURES • Easy to manoeuvre due to its counterbalanced design

Robust construction



ELECTRIC EDGER

552558

MOTOR 1200 watt, 240V electric motor **CUT DIAMETER** 190mm (7 1/2") cutting diameter

CUT DEPTH Cutting depth can range from 25mm (1"),

31mm (1 1/4") or 38mm (1 1/2")



2400 ELECTRIC QUIET SHREDDER

552958

MOTOR

Reversible motor for easy waste discharge


BLADE

Boasts Morrison's adjustable chopping system that is easy to adjust for improved performance

FEATURES

 This super quiet auto feed mulcher shredder shreds up to 40mm

· Safety switches and overload protection



MORRISON®

Warranty and Disclaimer Info:

All Morrison products carry a manufacturer's warranty. Please refer to your warranty card supplied with each product for details and conditions for specific models. This brochure supersedes all previous Morrison Outdoor Garden Range brochures. Product specification, colours and prices are subject to change without prior notification. Not all models may be stocked at all stores. Whilst care has been taken in the preparation of this document, Morrison is constantly improving and updating its product range, therefore model specifications may vary and should be checked at time of purchase.

Masport/Morrison products are covered by the following design registrations: 405399, 407916, 407917, 411355, 411354, 417631, 418171, 407915, 407913, 411353, 414788, 414789, 414790, 414791, 414792, and patents: 330634, 589942/590235, 570911, 605098, 605114.

Masport Limited New Zealand

PO Box 14 349, Panmure, Auckland 1741, New Zealand P: 0800 4MORRISON

F: 0508 570 570

E: sales@morrisonoutdoor.co.nz W: www.morrisonoutdoor.co.nz

